


# Plumbing Parts Catalog



### ABOUT MRPEX® SYSTEMS

MrPEX® Systems is one of the leading North American system suppliers of residential and commercial radiant heating/cooling, snowmelt systems, and now offering, PEX-a domestic hot and cold water systems. We are a small but very experienced team on the fast track for growth in the USA and Canadian market. We are the exclusive providers of a unique PEX-a pipe from LK PEX AB in Sweden. As our core product, the MrPEX® PEXa Tubing, is considerably more flexible, kink-resistant and able to hold more pressure than any other Pex Tubing on the market today, plus comes with an extensive 30 year warranty!

Combined with our highly technical knowledge and dedication to customer service, it's no wonder MrPEX® Systems is one of the fastest growing PEX-a system suppliers in North America.

### WHY MRPEX®?

MrPEX® Systems provides all components you need for a superior system, whether radiant heating/cooling, PEX-a plumbing, or snowmelt systems. This includes tubing, fittings, manifolds, controls and accessories that are matched for high performance and reliability over many years of service. When used together, these components provide trouble free installation and long-term reliability. The MrPEX® tubing and fittings meet current national standards of performance and dimensional tolerances. The system package and product offering is growing continually with an emphasis on taking advantage of sustainable energy sources whenever possible. Additionally, we also offer IDC, the state-of-the-art PC based intelligent control systems that delivers optimized comfort and maximized efficiency by coordinating HVAC, Indoor Air Quality, and Hydronic Systems in one control. IDC is also capable of energy monitoring and remote access from anywhere in the world.



### WHO IS MRPEX°?

MrPEX®—Tomas Lenman—started at Wirsbo Bruks AB in Sweden as a development engineer in 1971, developing the very first PEX process ever invented. He developed many Standard Specifications for PEX Tubing in Europe and Australia. MrPEX® wrote the ASTM F 876/877 for PEX Tubing during 1982 -84. In 1982 he co-authored the book "Water and Pipes". He founded and managed Wirsbo Company (USA) 1984 -1992 and continued consulting for this group until 1996. He authored the CSA B137.5 standard for PEX Tubing in 1989. MrPEX® managed the successful start-up of Roth Industries PEX Tubing Division 1997 -2001 after which he started his own radiant floor heating company: MrPEX® Systems using PEX Tubing with exclusive distribution in North America for LK PEX AB in Sweden. The unique production process is invented by Mr. Lennart Aagren of Sweden, previously manager of Uponor Innovation AB for many years, and his second innovation of a PEX Tubing manufacturing process. No one has more knowledge and experience with PEX Tubing and Radiant Floor Heating Systems than MrPEX®.

### TABLE OF CONTENTS

MrPEX® Potable PEX-a Tubing	∠
Composite Multiport Tee's, F2159 Fittings	6
Copper Multiport Tee's, F1807 Fittings with 1" Copper Body	7
Copper Manifold with Valves, LF Brass F1807 Fittings with 1" Copper Body	7
PEX Press Fittings - PPSU	. 8
PEX Press Fittings - LF Brass	10
Press Tools	15

### **TUBING**

A Slinky® is suspended on elastic threads around itself. There is no reinforcement along its length. Thus making it remarkably flexible and free to move. MrPEX® molecular chains extend around the tubing like the Slinky® string circles around itself. This makes MrPEX® Tubing extremely flexible and less likely to kink. The molecular chain is aligned to resist stress around its perimeter. It is unusually strong, resisting inside pressure. The molecular orientation is achieved during extrusion in a very unique process. Crosslinking occurs simultaneously with the orientation. PEX-a peroxide crosslinking guarantees optimal tubing properties.

### MRPEX° POTABLE PEX-A TUBING

MrPEX® POTABLE PEX-a tubing is Cross-Linked Polyethylene (PEX-a) manufactured in accordance with ASTM F 876. Tubing is listed to ASTM F 876/F877/F2023, ASTM E84 (CSA B137.5), cNSFus-pw, NSF/ANSI-61, NSF/ANSI-14, Annex G, NSF U.P.Code PEX 5006, ICC-PMG, ANSI/AWWA 904. MrPEX® POTABLE PEX-a tubing is rated by the Hydrostatic Stress Board of PPI (Plastics Pipe Institute) at: 160 psi at 73.4°F; 100 psi at 180°F. MrPEX® POTABLE PEX-a tubing may be used with fittings that are compliant with ASTM F1807/F1960/F2080/F2098/F2159 standards.

MrPEX® POTABLE PEX-a tubing is offered in coils and straight lengths of RED, WHITE and BLUE colors to help identify hot and cold water supply.

# MIPEX POTABLE PEX-a

### WHITE - MrPEX POTABLE PEX-a TUBING

PART#	TYPE	UNIT
1622060	1/2"	Box of 6 - 100 ft Coils
1620030	1/2"	300 ft Coil
1620050	1/2"	500 ft Coil
1621040	1/2"	Bag of 20 - 400 ft (20 ft Sticks)
1642030	3/4"	Box of 3 - 100 ft Coil
1640030	3/4"	300 ft Coil
1641020	3/4"	Bag of 10 - 200 ft (20 ft Sticks)
1650010	1"	100 ft Coil
1650030	1"	300 ft Coil
1651010	1"	Bag of 5 - 100 ft (20 ft Sticks)

### **RED - MrPEX POTABLE PEX-a TUBING**

PART#	TYPE	UNIT
1722060	1/2"	Box of 6 - 100 ft Coils
1720030	1/2"	300 ft Coil
1720050	1/2"	500 ft Coil
1721040	1/2"	Bag of 20 - 400 ft (20 ft Sticks)
1742030	3/4"	Box of 3 - 100 ft Coil
1740030	3/4"	300 ft Coil
1741020	3/4"	Bag of 10 - 200 ft (20 ft Sticks)
1750010	1"	100 ft Coil
1750030	1"	300 ft Coil
1751010	1"	Bag of 5 - 100 ft (20 ft Sticks)



#### **BLUE - MrPEX POTABLE PEX-a TUBING**

PART#	TYPE	UNIT
1822060	1/2"	Box of 6 - 100 ft Coils
1820030	1/2"	300 ft Coil
1820050	1/2"	500 ft Coil
1821040	1/2"	Bag of 20 - 400 ft (20 ft Sticks)
1842030	3/4"	Box of 3 - 100 ft Coil
1840030	3/4"	300 ft Coil
1841020	3/4"	Bag of 10 - 200 ft (20 ft Sticks)
1850010	1"	100 ft Coil
1850030	1"	300 ft Coil
1851010	1"	Bag of 5 - 100 ft (20 ft Sticks)



4 » CALL 1-800-716-3406

MYPEX

## **MANIFOLDS**

### **COMPOSITE MULTIPORT TEE'S, F2159 FITTINGS**

MrPEX® Composite Multiport Tees are made from a blend of engineered high performance PolyPhenylSUlfone (PPSU) resin to achieve a long-term durable product. These PPSU fittings are durable, light weight, corrosion free, and resistant to chlorine and other substances that may be present in today's potable water supply. The Sulfone resin has been used and refined over the past 20 years and has proven a very reliable replacement for brass and copper fittings. MrPEX® multiport tees meet ASTM F2159. MrPEX Stainless Steel Press Sleeves and PEX Press tools are required and purchased separately.



### Single Side - 3/4" PEX Inlet x Closed End x 1/2" PEX

•		
PART#	ТҮРЕ	UNIT
3011030	3 Branches	Bag of 5
3011040	4 Branches	Bag of 5
3011060	6 Branches	Bag of 5
3011080	8 Branches	Bag of 5



### Single Side - 1" PEX Inlet x Closed End x 1/2" PEX

PART#	TYPE	UNIT
3012060	6 Branches	Bag of 5
3012080	8 Branches	Bag of 5



#### Double Side - 1" PEX Inlet x Closed End x 1/2" PEX

PART#	ТҮРЕ	UNIT
3012330	3+3 Branches	Bag of 5
3012440	4+4 Branches	Bag of 5



### Single Side - 3/4" PEX Inlet x 3/4" PEX End x 1/2" PEX

PART#	ТҮРЕ	UNIT
3011031	3 Branches	Bag of 5
3011041	4 Branches	Bag of 5



### Single Side - 1" PEX Inlet x 3/4" PEX End x 1/2" PEX

PART#	ТҮРЕ	UNIT
3012031	3 Branches	Bag of 5
3012041	4 Branches	Bag of 5
3012061	6 Branches	Bag of 5
3012081	8 Branches	Bag of 5



### Single Side - 3/4" PEX Inlet x 3/4" PEX End x 1/2" PEX

PART#	TYPE	UNIT
3011331	3+3 Branches	Bag of 5
3011441	4+4 Branches	Bag of 5

### Double Side - 1" PEX Inlet x 3/4" PEX End x 1/2" PEX

PART#	TYPE	UNIT
3012331	3+3 Branches	Bag of 5
3012441	4+4 Branches	Bag of 5



### **COPPER MULTIPORT TEE'S, F1807 FITTINGS WITH 1" COPPER BODY**

MrPEX® Copper Manifolds are made from type L copper. The No Lead product materials comply with NSF 61, which allows the product to contain no more than 0.25% lead. These manifolds meet F1807. MrPEX Stainless Steel Press Sleeves and PEX Press tools are required and purchased separately.

### Single Side - 3/4" PEX Inlet x Closed End x 1/2" PEX

PART#	ТҮРЕ	UNIT
3021030	3 Branches	Bag of 5
3021040	4 Branches	Bag of 5
3021060	6 Branches	Bag of 5
3021080	8 Branches	Bag of 5



### Single Side - 1" PEX Inlet x Closed End x 1/2" PEX

PART#	TYPE	UNIT
3022060	6 Branches	Bag of 5
3022080	8 Branches	Bag of 5



### Single Side - 3/4" PEX Inlet x 3/4" PEX End x 1/2" PEX

•	•	•
PART#	ТҮРЕ	UNIT
3021041	3 Branches	Bag of 5
3021041	4 Branches	Bag of 5



### Single Side - 1" PEX Inlet x 3/4" PEX End x 1/2" PEX

PART#	ТҮРЕ	UNIT
3022041	4 Branches	Bag of 5
3022061	6 Branches	Bag of 5
3022081	8 Branches	Bag of 5



### **COPPER MANIFOLD WITH VALVES, LF BRASS** F1807 FITTINGS WITH 1" COPPER BODY

MrPEX® Copper Manifolds are made from type L copper and Lead Free Brass. The No Lead product materials comply with NSF 61, which allows the product to contain no more than 0.25% lead. These manifolds meet F1807. MrPEX Stainless Steel Press Sleeves and PEX Press tools are required and purchased separately.

### Single Side - 3/4" PEX Inlet x Closed End x 1/2" PEX

	•	•
PART#	ТҮРЕ	UNIT
3031040	4 Branches	Each
3031050	5 Branches	Each
3031060	6 Branches	Each



PPSU FITTINGS

### Single Side - 1" Sweat Right Inlet x Closed End x 1/2" PEX Valves

PART#	ТҮРЕ	UNIT
3042080	8 Branches	Each
3042100	10 Branches	Each
3042120	12 Branches	Each

### Single Side - 1" Sweat Left Inlet x Closed End x 1/2" PEX Valves

PART#	TYPE	UNIT
3043080	8 Branches	Each
3043100	10 Branches	Each
3043120	12 Branches	Each

## **PPSU FITTINGS**

999999999

### **PEX PRESS FITTINGS - PPSU**

MrPEX® plastic fittings are made from a blend of engineered high performance PolyPhenylSUlfone (PPSU) resin to achieve a long-term durable product. These PPSU fittings are durable, light weight, corrosion free, and resistant to chlorine and other substances that may be present in today's potable water supply. The Sulfone resin has been used and refined over the past 20 years and has proven a very reliable replacement for brass and copper fittings. MrPEX® fittings are listed to ASTM F2159. MrPEX® Stainless Steel Press Sleeves and PEX Press tools are required and purchased separately.





PART#	TYPE	UNIT
4000500	1/2"	Bag of 100
4000750	3/4"	Bag of 50
4001000	1"	Bag of 50



### **PPSU-Couplings**

PART#	ТҮРЕ	UNIT
4015050	1/2" PEX x 1/2" PEX	Bag of 25
4017550	3/4" PEX x 1/2" PEX	Bag of 25
4017575	3/4" PEX x 3/4" PEX	Bag of 25
4011010	1" PEX x 1" PEX	Bag of 10
4011075	1" PEX x 3/4" PEX	Bag of 10

### **PPSU - Threaded Adapter, Male**

PART#	ТҮРЕ	UNIT
4025050	1/2" PEX x 1/2" NPT	Bag of 25
4025075	1/2" PEX x 3/4" NPT	Bag of 25
4027550	3/4" x 1/2" NPT	Bag of 25
4027575	3/4" x 3/4" NPT	Bag of 25
4021010	1" x 1" NPT	Bag of 10



### **PPSU - Threaded Adapter, Female**

PART#	ТҮРЕ	UNIT
4035050	1/2" PEX x 1/2" NPT	Bag of 25
4037575	3/4" PEX x 3/4" NPT	Bag of 25
4031010	1" PEX x 1" NPT	Bag of 10



### **PPSU - Plug**

PART#	ТҮРЕ	UNIT
4040500	1/2"	Bag of 25
4040750	3/4"	Bag of 25
4041000	1"	Bag of 10



### **PPSU - Elbow**

PART#	ТҮРЕ	UNIT
4065050	1/2" PEX x 1/2" PEX	Bag of 25
4067550	3/4" PEX x 1/2" PEX	Bag of 25
4067575	3/4" PEX x 3/4" PEX	Bag of 25
4061010	1" PEX x 1" PEX	Bag of 10



### **PPSU - Swivel Adapter**

PART#	TYPE	UNIT
4075151	1/2" PEX x $1/2$ " NPT, straight	Bag of 25
4075252	1/2" PEX x 1/2" NPT, elbow	Bag of 25



### **PPSU - Threaded Elbow**

PART#	ТҮРЕ	UNIT
4075038	1/2" PEX x 3/8" NPT, Male	Bag of 25
4075050	1/2" PEX x 1/2" NPT, Female	Bag of 25
4077550	3/4" PEX x 1/2" NPT, male	Bag of 25
4077575	3/4" PEX x 3/4" NPT, female	Bag of 25





### **PPSU - Tee**

PART#	TYPE	UNIT
4095055	1/2" PEX x 1/2" PEX x 1/2" PEX	Bag of 25
4095057	1/2" PEX x 1/2" PEX x 3/4" PEX	Bag of 25
4097555	3/4" PEX x 1/2" PEX x 1/2" PEX	Bag of 25
4097557	3/4" PEX x 1/2" PEX x 3/4" PEX	Bag of 25
4097571	3/4" PEX x 3/4" PEX x 1" PEX	Bag of 10
4097575	3/4" PEX x 3/4" PEX x 1/2" PEX	Bag of 25
4097577	3/4" PEX x 3/4" PEX x 3/4" PEX	Bag of 25
4091011	1" PEX x 1" PEX x 1" PEX	Bag of 10
4091015	1" PEX x 1" PEX x 1/2" PEX	Bag of 10
4091017	1" PEX x 1" PEX x 3/4" PEX	Bag of 10
4091071	1" PEX x 3/4" PEX x 1" PEX	Bag of 10
4091077	1" PEX x 3/4" PEX x 3/4" PEX	Bag of 10

# LF BRASS FITTINGS

### **PEX PRESS FITTINGS - LF BRASS**

MrPEX® Lead Free Brass fittings comply with NSF 61, which allows the product to contain no more than 0.25% lead. These fittings meet F1807. MrPEX Stainless Steel Press Sleeves and PEX Press tools are required and purchased separately.



### **PEX Press Sleeves - Stainless Steel**

PART#	TYPE	UNIT
4000500	1/2"	Bag of 100
4000750	3/4"	Bag of 50
4001000	1"	Bag of 50



### LF Brass - Drop Ear Elbow

PART#	ТҮРЕ	UNIT
4100055	1/2" PEX x 1/2" FIP	Bag of 10
4100077	3/4" PEX x 3/4" FIP	Bag of 10
4100157	1/2" PEX x 3/4" FIP	Bag of 10



### LF Brass - Plug

	<u> </u>	
PART#	ТҮРЕ	UNIT
4100500	1/2" PEX	Bag of 25
4100750	3/4" PEX	Bag of 25
4101000	1" PEX	Bag of 10

### **LF Brass - Coupling**

PART#	ТҮРЕ	UNIT
4115050	1/2" PEX x 1/2" PEX	Bag of 25
4117550	3/4" PEX x 1/2" PEX	Bag of 25
4117575	3/4" PEX x 3/4" PEX	Bag of 25
4111010	1" PEX x 1" PEX	Bag of 10
4111075	1" PEX x 3/4" PEX	Bag of 10



### LF Brass - Threaded Adapter, Male

PART#	ТҮРЕ	UNIT
4125050	1/2" PEX x 1/2" NPT	Bag of 25
4125075	1/2" PEX x 3/4" NPT	Bag of 25
4127510	3/4" PEX x 1" NPT	Bag of 10
4127575	3/4" PEX x 3/4" NPT	Bag of 25
4121010	1" PEX x 1" NPT	Bag of 10
4121075	1" PEX x 3/4" NPT	Bag of 10



### **LF Brass - Threaded Adapter, Female**

PART#	ТҮРЕ	UNIT
4135050	1/2" PEX x 1/2" NPT	Bag of 25
4135075	1/2" PEX x 3/4" NPT	Bag of 25
4137510	3/4" PEX x 1" NPT	Bag of 10
4137575	3/4" PEX x 3/4" NPT	Bag of 25
4131010	1" PEX x 1" NPT	Bag of 10
	PART# 4135050 4135075 4137510 4137575	4135050       1/2" PEX x 1/2" NPT         4135075       1/2" PEX x 3/4" NPT         4137510       3/4" PEX x 1" NPT         4137575       3/4" PEX x 3/4" NPT



### LF Brass - Sweat Adapter, Male

PART#	ТҮРЕ	UNIT
4145050	1/2" PEX x 1/2" CU	Bag of 25
4145075	1/2" PEX x 3/4" CU	Bag of 25
4147510	3/4" PEX x 1" CU	Bag of 10
4147575	3/4" PEX x 3/4" CU	Bag of 25
4141010	1" PEX x 1" CU	Bag of 10



### LF Brass - Sweat Adapter, Female

PART#	TYPE	UNIT
4155050	1/2" PEX x 1/2" CU	Bag of 25
4155075	1/2" PEX x 3/4" CU	Bag of 25
4157510	3/4" PEX x 1" CU	Bag of 10
4157575	3/4" PEX x 3/4" CU	Bag of 25
4151010	1" PEX x 1" CU	Bag of 10



10 » CALL 1-800-716-3406

LF BRASS FITTINGS









**LF Brass - Elbow** 

PART#	ТҮРЕ	UNIT
4165050	1/2" PEX x 1/2" PEX	Bag of 25
4167575	3/4" PEX x 3/4" PEX	Bag of 25
4161010	1" PEX x 1" PEX	Bag of 10





PART#	TYPE	UNIT
4170055	1/2" PEX x 1/2" NPT	Bag of 25
4170057	1/2" PEX x 3/4" NPT	Bag of 25
4170071	3/4" PEX x 1" NPT	Bag of 10
4170077	3/4" PEX x 3/4" NPT	Bag of 25







PART#	ТҮРЕ	UNIT	
4180055	1/2" PEX x 1/2" CU	Bag of 25	
4180057	1/2" PEX x 3/4" CU	Bag of 25	
4180077	3/4" PEX x 3/4" CU	Bag of 25	





PART#	ТҮРЕ	UNIT
4180155	1/2" PEX x 1/2" CU	Bag of 25
4180157	1/2" PEX x 3/4" CU	Bag of 25
4180177	3/4" PEX x 3/4" CU	Bag of 25
4180111	1" PEX x 1" CU	Bag of 10





PART#	TYPE	UNIT
4195055	1/2" PEX x 1/2" PEX x 1/2" PEX	Bag of 25
4195057	1/2" PEX x 1/2" PEX x 3/4" PEX	Bag of 25
4197555	3/4" PEX x 1/2" PEX x 1/2" PEX	Bag of 25
4197557	3/4" PEX x 1/2" PEX x 3/4" PEX	Bag of 25
4197575	3/4" PEX x 3/4" PEX x 1/2" PEX	Bag of 25
4197577	3/4" PEX x 3/4" PEX x 3/4" PEX	Bag of 25
4191011	1" PEX x 1" PEX x 1" PEX	Bag of 10
4191015	1" PEX x 1" PEX x 1/2" PEX	Bag of 10
4191017	1" PEX x 1" PEX x 3/4" PEX	Bag of 10
4191051	1" PEX x 1/2" PEX x 1" PEX	Bag of 10
4191057	1" PEX x 1/2" PEX x 3/4" PEX	Bag of 10
4191071	1" PEX x 3/4" PEX x 1" PEX	Bag of 10
4191077	1" PEX x 3/4" PEX x 3/4" PEX	Bag of 10

## **ACCESSORIES**

LF Brass - Inline Ball Valve, full port

PART#	TYPE	UNIT
4100050	1/2" PEX x 1/2" PEX	Box of 10
4100075	3/4" PEX x 3/4" PEX	Box of 8
4100010	1" PEX x 1" PEX	Box of 4





PART#	TYPE	UNIT
4100057	1/2" PEX	Bag of 50



### **Tub/Shower Elbow**

PART#	ТҮРЕ	UNIT
4100155	1/2" PEX x 1/2" FIP	Bag of 50



### **Chrome Tube Sleeve**

PART#	ТҮРЕ	UNIT
4108104	1/2"	Bag of 10



### **Escution, Chrome**

PART#	ТҮРЕ	UNIT	
4108105	1/2"	Box of 25	
4108106	3/4"	Box of 25	



### Threaded Swivel Adapter, Straight, Plastic Nut

PART#	TYPE	UNIT
4108107	1/2" PEX x 1/2" FIP	Box of 25



### LF Brass - Stub Out Straight, 8", closed end

<del></del>			
PART#	ТҮРЕ	UNIT	
4109001	1/2" PEX	Bag of 100	



### LF Brass - Stub Out Elbow, 3 1/2" x 8", closed end

PART#	TYPE	UNIT
4109002	1/2" PEX	Bag of 50



### LF Brass - Drop Ear Stub Out Elbow, 3 1/2" x 8", closed end

- <u> </u>		
PART#	ТҮРЕ	UNIT
4109003	1/2" PEX	Bag of 25



### LF Brass - Angle Stop

PART# TYPE		UNIT
4109053	1/2" PEX x 3/8" Comp.	Box of 24





















### **LF Brass - Straight Stop**

PART# TYPE		UNIT
4109153	1/2" PEX x 3/8" Comp.	Box of 24

#### **LF Brass - Water Heater Flex Connector**

PART# TYPE		UNIT
4109277	13/4" PEX x 3/4" FIP Swivel	Box of 10

### LF Brass - Water Heater Flex Connector, w/ ball valve

	• •		
PART# TYPE		UNIT	
4109278	3/4" PEX x 3/4" FIP Swivel	Box of 25	

### **LF Brass - Washing Machine Box**

PART#	ТҮРЕ	UNIT
4109301	1/2"	Each

### LF Brass - Ice Maker Box

PART# TYPE		UNIT
4109302	1/2" PEX x 1/4" Comp.	Each

### **Tube Talon**

PART#	TYPE	UNIT
4101050	1/2"	Bag of 100
4101075	3/4"	Bag of 100
4101010	1"	Bag of 50

### Stub Out Bracket, galvanized steel

PART#	ТҮРЕ	UNIT
4108002	2" x 20"	Box of 50

### **Grommet for Galvanized Bracket or Metal Stud**

PART#	TYPE	UNIT
4108050	1/2"	Bag of 100
4108075	3/4"	Bag of 100
4108010	1"	Bag of 25

### Nail Guard, 18ga, self nailing plates

PART#	TYPE	UNIT
4108101	1.5" x 3", single plate	Box of 100
4108102	3" x 5", double plate	Box of 100
4108103 1.5" x 5"		Box of 100

### **Metal Drop Ear Bend Support**

PART#	ТҮРЕ	UNIT
7140501	1/2"	Bag of 25

## **TOOLS**

### **INSTALLATION TOOLS**

MrPEX® Installation Tools features tube handling tools for PEX or PEX-AL-PEX as well as prep and press fitting tools for PEX-AL-PEX.

### **Compact Adjustable Tubing Uncoiler**

PART#	TYPE	UNIT
8110720	Heavy Duty	Each



### **Pipe Cutter**

PART#	TYPE	UNIT
8120878	For All Sizes Up to 11/4" PEX and PEX-AL-PEX Tubing	Each



### **Simple Cutter**

PART#	TYPE	UNIT
8120879	for 3/8" through 1" Tubing	Each



### **PRESS TOOLS**

### Manual Press Tool for PEX (F1807 & F2159)

PART#	TYPE	UNIT
8400500	1/2" Stainless Steel Sleeves	Each
8400750	3/4" Stainless Steel Sleeves	Each
8401000	1" Stainless Steel Sleeves	Each



### Manual Press Tool for PEX (F1807 & F2159), Compact

PART#	ТҮРЕ	UNIT
8401050	1/2" Stainless Steel Sleeves	Each



### Manual Press Tool for PEX (F1807 & F2159), Combination

PART#	TYPE	UNIT
8405075	1/2" & 3/4" Stainless Steel Sleeves	Each



### Press Jaw for Battery Tool #8243000

PART#	ТҮРЕ	UNIT
8410500	1/2" PEX Press	
8410750	3/4" PEX Press	
8411000	1" PEX Press	



NOTES

# MYPEX

### **LIMITED WARRANTY—EFFECTIVE JUNE 1, 2015 VALID FOR MRPEX® POTABLE TUBING AND COMPONENTS**

### **WARRANTY**

 $MrPEX @ Systems \ warrants \ to \ its "clients" \ that \ the \ MrPEX @ Potable \ Tubing \ and \ components, used for plumbing \ applications., sold \ hereunder \ shall \ be$ free from defects in material and workmanship and that the components will conform to specifications stated in MrPEX® Publications. This Limited Warranty shall expire thirty (30) years for the MrPEX® tubing, and two (2) years for all other components, from date of shipment by MrPEX® Systems unless otherwise specified in writing. MrPEX® Systems further warrants that products listed are compatible with Each other, but at the same time we disclaim warranty for claims related to compatibility with non-MrPEX® products. Components sold under this Limited Warranty must (1) be selected, designed, and installed according to the instructions in MrPEX® Publications using appropriate trade workmanship and according to the local building code(s), (2) remain in their originally installed location, (3) are connected to appropriate water, (4) show no evidence of tampering, mishandling, neglect, accidental damage, modification or repair without the approval of MrPEX® Systems or damage done to the product by anyone other than MrPEX® Systems authorized personnel. MrPEX® Systems' sole obligation hereunder shall be, at its option, to issue credit, repair or replace any component or part thereof which is proved to be other than as warranted. No allowance shall be made to clients for transportation or labor charges unless such charges are authorized in writing in advance by MrPEX® Systems. Any repairs without the express written consent of MrPEX® Systems, shall render this Limited Warranty invalid. Warranty claims must be received by MrPEX® Systems within the applicable warranty period and within thirty (30) days from the time when the cause for the claim occurred or was discovered. Upon receipt of prompt notice of a warranty claim, MrPEX® Systems shall have ten (10) business days in which to determine whether it acknowledges responsibility for any asserted defects in material or workmanship and the appropriate action to be taken. This Limited Warranty and any claims arising from breach of warranty, or any other claim arising hereunder, shall be governed and construed under the laws of the State of Minnesota. No other persons than MrPEX® employees have any express or implied authority to bind MrPEX® to any agreement or warranty of any kind without the express written consent of MrPEX® Systems.

#### **Disclaimer of Warranties:**

MrPEX® systems disclaims any warranty not provided herein including the implied warranty of merchantability and implied warranty of fitness for a particular purpose. It is expressly understood that MrPEX® systems is not responsible for any consequential or other damages that may arise from using MrPEX® system components. Damage resulting from water freezing in the tubing does not constitute a defect in material or workmanship, and shall not be covered by this warranty. MrPEX® tubing may not be stored in direct sunlight for any period longer than three weeks or this limited warranty becomes invalid. MrPEX® systems disclaims any statutory or implied warranty of habitability. MrPEX® systems further disclaims any responsibility for losses, expenses, inconveniences, special, indirect, secondary, incidental or consequential damages arising from ownership or use of the articles sold hereunder. There are no warranties which extend beyond the face hereof.

#### **General Terms and Conditions**

These terms and conditions apply to all MrPEX® products. All customers are subject to credit approval before shipment of product.

#### Price Changes

MrPEX® reserves the right to change published prices and product availability without prior notification. Our policy is a minimum notification period of 30 days, but under unusual circumstances it may become necessary to shorten this period to meet market needs.

#### Terms

Terms are 30 days Net or per separate agreement with individual customer.

### Minimum Order Quantity

The minimum order is \$300.00 net price. For orders less than \$300.00 net, an order processing charge of \$15.00 will be applied.

#### Finance Charge

A finance charge of one and one half percent (1.5%) per month will be charged on all overdue balances. This corresponds to an eighteen percent (18%) annual percentage rate (APR).

#### Taxes

We are required by law to charge applicable state and local taxes unless a sales tax exemption certificate has been provided.

We will ship orders received as soon as possible. Please provide eligible orders, preferably by fax in Fine Mode, and attend to your payments and your credit situation. We will try to communicate regarding possible back-orders. Back-orders may or may not be billed separately. Note that items may sometimes be shipped from separate locations. Orders from one warehouse location to the 48 contiguous states with net price over \$4,000.00 will ship freight pre-paid. When such orders are picked up by customer, a pick-up credit may be issued. Orders will ship from closest warehouse location only when ordered products are available from there. LTL orders billed to customers shipping account will incur a processing fee of \$28.00.

#### Freight Claims, Shortages

If material is received short or damaged, the receiver must require the agent of the transport company to make a notation of delivery condition on the freight bill. If, or when, the goods is arrival inspected and it is found to have a damage likely caused by the freight company, the receiver must report the claim to MrPEX® Systems. We must receive such a claim within 48 hours of the receipt of goods.

NOTES			
			_
			_
			_
			_

16 » CALL 1-800-716-3406

NOTES

NOTES	



mrpexsystems.com

### **Corporate Office**

2613 87th Court W. Northfield, MN 55057 800-716-3406 mrpex@mrpexsystems.com

### **Order Department**

Order by Fax: 952-423-6114 800-716-3406 order@mrpexsystems.com

### Sales & Service

5300 Alpine Dr. NW, Ste. 200 Ramsey, MN 55303 800-716-3406 sales@mrpexsystems.com